


# A2 TRANSPORTER

## A2 TRANSPORTER STANDARD EQUIPMENT.



STANDARD						
LOAD BED LENGTH m A	2.70	3.20	3.70	4.00		
<b>CAPACITY</b>						
Gross kg	1,300	1,500	1,500	1,500	1,500	1,500
Load kg	865	1,060	1,010	973	965	955
Unladen trailer weight kg	435	440	490	527	535	545
<b>DIMENSIONS</b>						
Internal bed width m B	1.80	1.80	1.80	1.80	1.70	2.00
Overall trailer length m C	4.24	4.24	4.74	5.24	5.46	5.53
Overall trailer width m D	2.18	2.18	2.18	2.18	2.08	2.38
Bed load height m	0.42	0.42	0.42	0.42	0.42	0.42
Towball height (loaded, centre of towball) m	0.40	0.40	0.40	0.40	0.40	0.40
<b>RUNNING GEAR</b>						
Wheel size	12" (155/70)	12" (155/70)	12" (155/70)	12" (155/70)	12" (155/70)	12" (155/70)
Axles	1	1	1	1	1	1
Spare wheel	●	●	●	●	●	●
Jockey wheel, HD ribbed type, side clamped, central position	●	●	●	●	●	●
<b>RAMPS</b>						
High grip punched, glide out ramps 1.90m E	●	●	●	●	●	●
<b>WARRANTY</b>						
5 Year chassis warranty	●	●	●	●	●	●
<b>PRODUCTS</b>						
Product code	125-1010	125-1011	125-1111	125-1211	125-1301	125-1312
<b>PRICE</b>						
£ ex vat	1,919	1,949	2,089	2,249	2,289	2,289

### OPTION PACKS

**Pro-Line Pack** consists of Wheel chocks, pair (red); Tie-down wheel 'sleeve' straps x 4; Manual winch, auto braked + 6 point 'quick adjust' pull positions

prices in  
£ ex vat


429

**Hi-Line Pack** consists of Coupling head lock; Wheel chocks, pair (red); Tie-down wheel 'sleeve' straps x 4; Manual winch, auto braked + 6 point 'quick adjust' pull positions; Alloy wheels – lightweight 12"

569

# A2 TRANSPORTER

## EQUIPMENT and OPTIONS.




OPTIONS	prices in £ ex vat
<b>REAR LOADING</b>	
High grip punched, glide out ramps 2.40m – upgrade E (not available on 2.70m bed length)	139
Rear stands with foot pedal action, gas spring operation	●
<b>STORAGE</b>	
Bed locker, front, automatic lift	●
Fuel can storage box, lockable, twin opening doors for 1, 2 or 3 x 20 litre Jerry cans – Available in Sargasso blue, Poppy red or Arcelor anthracite	169
High level tyre rack + securing system	399
<b>EXTERIOR</b>	
Coloured body trim – 3 colour choices – Sargasso blue, Poppy red or Arcelor anthracite	●
<b>WINCH</b>	
Manual winch 2 speed + 3 point adjustable pull positions	229
Manual winch, auto braked + 6 point 'quick adjust' pull positions	299
Electric winch 4,500lb (portable 12v power pack available). Can't be fitted in conjunction with storage box.	475
<b>WHEELS, SUSPENSION AND TIE-DOWNS</b>	
Alloy wheels – (Style B2 colour Silver) + safety locking wheel bolts and steel spare	125
Alloy wheels – (Style B2 colour Anthracite, diamond cut) + safety locking wheel bolts and steel spare	225
Wheels-Safety kit – torque wrench + digital tyre pressure gauge	59
Tyre pressure monitoring system – TPMS. By TyrePal. In car monitor, external sensors.	129
Trailer suspension, wheel dampers – 2 wheel set	94
Deck slick pads x 4, protects soft compound racing tyres	84
Wheel chocks, pair, bolted adjustable	69
Wheel chocks, pair (red), fully adjustable, professional system engages into trailer chassis	94
Tie-down wheel 'sleeve' straps x 4 – 3,000 DaN; strap over circumference of each of the vehicle's tyres	149
Tie-down wheel 'sling' straps x 4 – 2,500 DaN	109
Tie-down wheel 'sling' straps x 4 – 4,000 DaN	129
<b>SECURITY</b>	
Cast steel coupling head + integral high security lock	74
Datatag – Security identification system	89
Tracker – Anti theft device. By SureTrack. Full time monitoring 24/7. Location of asset + coordination of recovery service. Thatcham approved. Sold secure approved. Yearly monitoring fee £ 90. Year 1 incl.	429
7 pin socket to 13 pin plug adapter	14

● Standard. ○ Option. — Not available. \*Option may incur local dealer fitting charge

# A4 TRANSPORTER

## A4 TRANSPORTER STANDARD EQUIPMENT.



STANDARD											
LOAD BED LENGTH m A	3.30	3.70	4.00				4.50			5.00	
CAPACITY											
Gross kg	2,000	2,000	2,000	2,600	2,000	2,600	2,600	2,600	3,000	2,600	3,000
Load kg	1,445	1,388	1,373	1,970	1,358	1,955	1,945	1,930	2,320	1,905	2,295
Unladen trailer weight kg	555	612	627	630	642	645	655	670	680	695	705
DIMENSIONS											
Internal bed width m B	1.70	1.80	1.80	1.80	2.00	2.00	1.80	2.00	2.00	2.00	2.00
Overall trailer length m C	4.77	5.24	5.54	5.54	5.54	5.54	6.04	6.04	6.04	6.54	6.54
Overall trailer width m D	2.08	2.18	2.18	2.18	2.38	2.38	2.18	2.38	2.38	2.38	2.38
Bed load height m	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42
Towball height (loaded, centre of towball) m	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40
RUNNING GEAR											
Wheel size	12" (155/70)	12" (155/70)	12" (155/70)	12" (155/70)	12" (155/70)	12" (155/70)	12" (155/70)	12" (155/70)	12" (155/70)	12" (155/70)	12" (155/70)
Axles	2	2	2	2	2	2	2	2	2	2	2
Spare wheel	•	•	•	•	•	•	•	•	•	•	•
Jockey wheel, auto retractable – heavy duty	•	•	•	•	•	•	•	•	•	•	•
RAMPS											
High grip punched, glide out ramps 1.90m E	•	•	•	•	•	•	•	•	•	•	•
WARRANTY											
5 Year chassis warranty	•	•	•	•	•	•	•	•	•	•	•
PRODUCTS											
Product code	125-2002	125-2112	125-2212	125-2213	125-2222	125-2223	125-2313	125-2323	125-2324	125-2423	125-2424
PRICE											
£ ex vat	2,599	2,729	2,789	2,849	2,789	2,849	2,999	2,969	3,109	3,039	3,219

### OPTION PACKS

**Pro-Line Pack** consists of Wheel chocks, pair (red); Tie-down wheel 'sleeve' straps x 4; Manual winch, auto braked + 6 point 'quick adjust' pull positions

prices in  
£ ex vat


429

**Hi-Line Pack** consists of Coupling head lock; Wheel chocks, pair (red); Tie-down wheel 'sleeve' straps x 4; Manual winch, auto braked + 6 point 'quick adjust' pull positions; Alloy wheels – lightweight 12"

670

# A4 TRANSPORTER

## EQUIPMENT and OPTIONS.



OPTIONS	prices in £ ex vat
<b>REAR LOADING</b>	
High grip punched, glide out ramps 2.40m – upgrade E	139
Rear stands with foot pedal action gas spring operation	●
<b>STORAGE</b>	
Bed locker, front, automatic lift	●
Fuel can storage box, lockable, twin opening doors for 1, 2 or 3 x 20 litre Jerry cans – Available in Sargasso blue, Poppy red or Arcelor anthracite	169
High level tyre rack + securing system	399
<b>EXTERIOR</b>	
Coloured body trim – 3 colour choices – Sargasso blue, Poppy red or Arcelor anthracite	●
<b>WINCH</b>	
Manual winch 2 speed + 3 point adjustable pull positions	229
Manual winch, auto braked + 6 point 'quick adjust' pull positions	299
Electric winch 4,500lb (portable 12v power pack available). Can't be fitted in conjunction with storage box.	475
<b>WHEELS, SUSPENSION AND TIE-DOWNS</b>	
Alloy wheels – (Style B2 colour Silver) + safety locking wheel bolts and steel spare	250
Alloy wheels – (Style B2 colour Anthracite, diamond cut) + safety locking wheel bolts and steel spare	450
Wheels-Safety kit – torque wrench + digital tyre pressure gauge	59
Tyre pressure monitoring system – TPMS. By TyrePal. In car monitor, external sensors.	179
Trailer suspension, wheel dampers – 4 wheel set	189
Deck slick pads x 4, protects soft compound racing tyres	84
Wheel chocks, pair, bolted adjustable	69
Wheel chocks, pair (red), fully adjustable, professional system engages into trailer chassis	94
Tie-down wheel 'sleeve' straps x 4 – 3,000 DaN; strap over circumference of each of the vehicle's tyres	149
Tie-down wheel 'sling' straps x 4 – 2,500 DaN	109
Tie-down wheel 'sling' straps x 4 – 4,000 DaN	129
<b>SECURITY</b>	
Cast steel coupling head + integral high security lock	74
Datatag – Security identification system	89
Tracker – Anti theft device. By SureTrack. Full time monitoring 24/7. Location of asset + coordination of recovery service. Thatcham approved. Sold secure approved. Yearly monitoring fee £ 90. Year 1 incl.	429
7 pin socket to 13 pin plug adapter	14

● Standard. ○ Option. — Not available. \*Option may incur local dealer fitting charge

A4 TRANSPORTER



DELIVERY CHARGES TO YOUR LOCAL DEALER	OPEN TRAILER	ENCLOSED TRAILER
Region A – England + Wales in £	110	225
Region B – North England + Scotland in £	149	275
Region C – Highlands in £	190	320
Northern Ireland	Additional charges may apply	

“QUALITY IS NEVER AN ACCIDENT.  
IT IS ALWAYS THE RESULT OF  
INTELLIGENT EFFORT.” JOHN RUSKIN

