




## C2 BLUE

STANDARD EQUIPMENT.



| STANDARD                                     |              |              |              |              |              |
|--|--------------|--------------|--------------|--------------|--------------|
| LOAD BED LENGTH m A                          | 2.70         |              | 3.20         |              | 3.70         |
| CAPACITY                                     |              |              |              |              |              |
| Gross kg                                     | 1,300        | 1,500        | 1,500        | 1,500        | 1,500        |
| Load kg                                      | 865          | 1,060        | 1,010        | 973          | 968          |
| Unladen trailer weight kg                    | 435          | 440          | 490          | 527          | 532          |
| DIMENSIONS                                   |              |              |              |              |              |
| Internal bed width m B                       | 1.80         | 1.80         | 1.80         | 1.80         | 2.00         |
| Overall trailer length m C                   | 4.18         | 4.18         | 4.68         | 5.18         | 5.18         |
| Overall trailer width m D                    | 2.18         | 2.18         | 2.18         | 2.18         | 2.38         |
| Bed load height m                            | 0.42         | 0.42         | 0.42         | 0.42         | 0.42         |
| Towball height (loaded, centre of towball) m | 0.40         | 0.40         | 0.40         | 0.40         | 0.40         |
| RUNNING GEAR                                 |              |              |              |              |              |
| Wheel size                                   | 12" (155/70) | 12" (155/70) | 12" (155/70) | 12" (155/70) | 12" (155/70) |
| Axles  | 1            | 1            | 1            | 1            | 1            |
| Spare wheel                                  | ●            | ●            | ●            | ●            | ●            |
| Jockey wheel, side clamped, central position | ●            | ●            | ●            | ●            | ●            |
| RAMPS  |              |              |              |              |              |
| High grip punched ramps 1.90m E              | ●            | ●            | ●            | ●            | ●            |
| WARRANTY                                     |              |              |              |              |              |
| 5 Year chassis warranty                      | ●            | ●            | ●            | ●            | ●            |
| PRODUCTS                                     |              |              |              |              |              |
| Product code                                 | 126-1010     | 126-1011     | 126-1111     | 126-1211     | 126-1221     |
| PRICE  |              |              |              |              |              |
| £ ex vat                                     | 1,449        | 1,479        | 1,579        | 1,679        | 1,679        |

### OPTION PACKS

**Pro-Line Pack** consists of Wheel chocks, pair (red); Tie-down wheel 'sleeve' straps x 4; Manual winch, auto braked + 6 point 'quick adjust' pull positions

prices in  
£ ex vat


409

**Hi-Line Pack** consists of Coupling head lock; Wheel chocks, pair (red); Tie-down wheel 'sleeve' straps x 4; Manual winch, auto braked + 6 point 'quick adjust' pull positions; Alloy wheels – lightweight 12"

549

# C2 BLUE

## EQUIPMENT and OPTIONS.




| OPTIONS   | prices in<br>£ ex vat |
|---|-----------------------|
| <b>REAR LOADING</b>   |                       |
| High grip punched ramps 2.40m – upgrade E (not available on 2.70m bed length)   | 129                   |
| Rear support stands   | 99*                   |
| <b>STORAGE</b>  |                       |
| Bed locker, front, lockable lid with automatic lift   | 149                   |
| Fuel can storage box, twin opening doors for 1, 2 or 3 x 20 litre Jerry cans – Available in Sargasso blue or Poppy red  | 159                   |
| High level tyre rack + securing system  | 369                   |
| <b>EXTERIOR</b>   |                       |
| Coloured body trim – Sargasso blue  | ●                     |
| <b>WINCH</b>  |                       |
| Manual winch 2 speed + 3 point adjustable pull positions  | 209                   |
| Manual winch, auto braked + 6 point 'quick adjust' pull positions   | 279                   |
| Electric winch 4,500lb (portable 12v power pack available). Can't be fitted in conjunction with storage box.  | 449                   |
| <b>WHEELS, SUSPENSION, JOCKEYS AND TIE-DOWNS</b>  |                       |
| Alloy wheels – lightweight 12", steel spare + safety locking wheel bolts  | 129                   |
| Wheels - Safety kit – torque wrench + digital tyre pressure gauge   | 49                    |
| Tyre pressure monitoring system – TPMS. In car monitor, external sensors.   | 129                   |
| Trailer suspension, wheel dampers – 2 wheel set   | 89                    |
| Deck slick pads x 4, protects soft compound racing tyres  | 79                    |
| Jockey wheel, upgrade – HD serrated tube  | 59                    |
| Wheel chocks, pair, bolted adjustable   | 69                    |
| Wheel chocks, pair (red), fully adjustable, professional system engages into trailer chassis  | 89                    |
| Tie-down wheel 'sleeve' straps x 4 – 4,000 DaN; strap over circumference of each of the vehicle's tyres   | 149                   |
| Tie-down wheel 'sling' straps x 4 – 2,500 DaN   | 109                   |
| Tie-down wheel 'sling' straps x 4 – 4,000 DaN   | 129                   |
| <b>SECURITY</b>   |                       |
| Cast steel coupling head + integral high security lock  | 69                    |
| High security enclosure lock for coupling head  | 109                   |
| High performance stabiliser coupling head (AL-KO AK 3004)   | 189                   |
| Datatag – Security identification system  | 89                    |
| Tracker – Anti theft device. By SureTrack. Full time monitoring 24/7. Location of asset + coordination of recovery service. Thatcham approved. Sold secure approved. Yearly monitoring fee £ 90. Year 1 incl. | 419                   |
| 7 pin socket to 13 pin plug adapter.  | 12                    |

● Standard. ○ Option. — Not available. \*Option may incur local dealer fitting charge



# C4 BLUE

## STANDARD EQUIPMENT.



| STANDARD                                     |              |              |              |              |              |              |              |              |              |              |              |              |
|--|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| LOAD BED LENGTH m A                          | 3.30         |              | 3.70         |              | 4.00         |              |              |              | 4.50         |              | 5.00         |              |
| CAPACITY                                     |              |              |              |              |              |              |              |              |              |              |              |              |
| Gross kg                                     | 2,000        | 2,000        | 2,000        | 2,000        | 2,000        | 2,000        | 2,600        | 2,000        | 2,600        | 2,600        | 2,600        | 2,600        |
| Load kg                                      | 1,445        | 1,425        | 1,388        | 1,386        | 1,393        | 1,373        | 1,970        | 1,358        | 1,955        | 1,945        | 1,930        | 1,905        |
| Unladen trailer weight kg                    | 555          | 575          | 612          | 614          | 607          | 627          | 630          | 642          | 645          | 655          | 670          | 695          |
| DIMENSIONS                                   |              |              |              |              |              |              |              |              |              |              |              |              |
| Internal bed width m B                       | 1.70         | 1.80         | 1.80         | 2.00         | 1.70         | 1.80         | 1.80         | 2.00         | 2.00         | 1.80         | 2.00         | 2.00         |
| Overall trailer length m C                   | 4.72         | 4.72         | 5.18         | 5.18         | 5.42         | 5.48         | 5.48         | 5.48         | 5.48         | 5.98         | 5.98         | 6.48         |
| Overall trailer width m D                    | 2.08         | 2.18         | 2.18         | 2.38         | 2.08         | 2.18         | 2.18         | 2.38         | 2.38         | 2.18         | 2.38         | 2.38         |
| Bed load height m                            | 0.42         | 0.42         | 0.42         | 0.42         | 0.42         | 0.42         | 0.42         | 0.42         | 0.42         | 0.42         | 0.42         | 0.42         |
| Towball height (loaded, centre of towball) m | 0.40         | 0.40         | 0.40         | 0.40         | 0.40         | 0.40         | 0.40         | 0.40         | 0.40         | 0.40         | 0.40         | 0.40         |
| RUNNING GEAR                                 |              |              |              |              |              |              |              |              |              |              |              |              |
| Wheel size                                   | 12" (155/70) | 12" (155/70) | 12" (155/70) | 12" (155/70) | 12" (155/70) | 12" (155/70) | 12" (155/70) | 12" (155/70) | 12" (155/70) | 12" (155/70) | 12" (155/70) | 12" (155/70) |
| Axles  | 2            | 2            | 2            | 2            | 2            | 2            | 2            | 2            | 2            | 2            | 2            | 2            |
| Spare wheel                                  | ●            | ●            | ●            | ●            | ●            | ●            | ●            | ●            | ●            | ●            | ●            | ●            |
| Jockey wheel, side clamped, central position | ●            | ●            | ●            | ●            | ●            | ●            | ●            | ●            | ●            | ●            | ●            | ●            |
| RAMPS  |              |              |              |              |              |              |              |              |              |              |              |              |
| High grip punched ramps 1.90m E              | ●            | ●            | ●            | ●            | ●            | ●            | ●            | ●            | ●            | ●            | ●            | ●            |
| WARRANTY                                     |              |              |              |              |              |              |              |              |              |              |              |              |
| 5 Year chassis warranty                      | ●            | ●            | ●            | ●            | ●            | ●            | ●            | ●            | ●            | ●            | ●            | ●            |
| PRODUCTS                                     |              |              |              |              |              |              |              |              |              |              |              |              |
| Product code                                 | 126-2002     | 126-2012     | 126-2112     | 126-2122     | 126-2202     | 126-2212     | 126-2213     | 126-2222     | 126-2223     | 126-2313     | 126-2323     | 126-2423     |
| PRICE  |              |              |              |              |              |              |              |              |              |              |              |              |
| £ ex vat                                     | 2,009        | 2,009        | 2,109        | 2,109        | 2,159        | 2,159        | 2,209        | 2,159        | 2,209        | 2,319        | 2,299        | 2,459        |

## OPTION PACKS

**Pro-Line Pack** consists of Wheel chocks, pair (red); Tie-down wheel 'sleeve' straps x 4; Manual winch, auto braked + 6 point 'quick adjust' pull positions

prices in  
£ ex vat


409

**Hi-Line Pack** consists of Coupling head lock; Wheel chocks, pair (red); Tie-down wheel 'sleeve' straps x 4; Manual winch, auto braked + 6 point 'quick adjust' pull positions; Alloy wheels – lightweight 12"

649

# C4 BLUE

## EQUIPMENT and OPTIONS.



| OPTIONS   | prices in<br>£ ex vat |
|---|-----------------------|
| <b>REAR LOADING</b>   |                       |
| High grip punched ramps 2.40m – upgrade E   | 129                   |
| Rear support stands   | 99*                   |
| <b>STORAGE</b>  |                       |
| Bed locker, front, lid with automatic lift  | 149                   |
| Fuel can storage box, lockable, twin opening doors for 1, 2 or 3 x 20 litre Jerry cans – Available in Sargasso blue or Poppy red  | 159                   |
| High level tyre rack + securing system  | 369                   |
| <b>EXTERIOR</b>   |                       |
| Coloured body trim – Sargasso blue  | ●                     |
| <b>WINCH</b>  |                       |
| Manual winch 2 speed + 3 point adjustable pull positions  | 209                   |
| Manual winch, auto braked + 6 point 'quick adjust' pull positions   | 279                   |
| Electric winch 4,500lb (portable 12v power pack available). Can't be fitted in conjunction with storage box.  | 449                   |
| <b>WHEELS, SUSPENSION, JOCKEYS AND TIE-DOWNS</b>  |                       |
| Alloy wheels – lightweight 12", steel spare + safety locking wheel bolts  | 239                   |
| Wheels-Safety kit – torque wrench + digital tyre pressure gauge   | 49                    |
| Tyre pressure monitoring system – TPMS. By TyrePal. In car monitor, external sensors.   | 179                   |
| Trailer suspension, wheel dampers – 4 wheel set   | 179                   |
| Deck slick pads x 4, protects soft compound racing tyres  | 79                    |
| Jockey wheel, upgrade – auto retractable – standard duty  | 59                    |
| Jockey wheel, upgrade – auto retractable – heavy duty   | 99                    |
| Wheel chocks, pair, bolted adjustable   | 69                    |
| Wheel chocks, pair (red), fully adjustable, professional system engages into trailer chassis  | 89                    |
| Tie-down wheel 'sleeve' straps x 4 – 4,000 DaN; strap over circumference of each of the vehicle's tyres   | 149                   |
| Tie-down wheel 'sling' straps x 4 – 2,500 DaN   | 109                   |
| Tie-down wheel 'sling' straps x 4 – 4,000 DaN   | 129                   |
| <b>SECURITY</b>   |                       |
| Cast steel coupling head + integral high security lock  | 69                    |
| High security enclosure lock for coupling head  | 109                   |
| High performance stabiliser coupling head (AL-KO AK 3004)   | 189                   |
| Datatag – Security identification system  | 89                    |
| Tracker – Anti theft device. By SureTrack. Full time monitoring 24/7. Location of asset + coordination of recovery service. Thatcham approved. Sold secure approved. Yearly monitoring fee £ 90. Year 1 incl. | 419                   |
| 7 pin socket to 13 pin plug adapter.  | 12                    |

● Standard. ○ Option. — Not available. \*Option may incur local dealer fitting charge