




C2 BLUE

STANDARD EQUIPMENT.




STANDARD					
LOAD BED LENGTH m A	2.70		3.20		3.70
CAPACITY					
Gross kg	1,300	1,500	1,500	1,500	1,500
Load kg	865	1,060	1,010	973	968
Unladen trailer weight kg	435	440	490	527	532
DIMENSIONS					
Internal bed width m B	1.80	1.80	1.80	1.80	2.00
Overall trailer length m C	4.18	4.18	4.68	5.18	5.18
Overall trailer width m D	2.18	2.18	2.18	2.18	2.38
Bed load height m	0.42	0.42	0.42	0.42	0.42
Towball height (loaded, centre of towball) m	0.40	0.40	0.40	0.40	0.40
RUNNING GEAR					
Wheel size	12" (155/70)	12" (155/70)	12" (155/70)	12" (155/70)	12" (155/70)
Axles	1	1	1	1	1
Spare wheel	●	●	●	●	●
Jockey wheel, side clamped, central position	●	●	●	●	●
RAMPS					
High grip punched ramps 1.90m E	●	●	●	●	●
WARRANTY					
5 Year chassis warranty	●	●	●	●	●
PRODUCTS					
Product code	126-1010	126-1011	126-1111	126-1211	126-1221
PRICE					
£ ex vat	1,519	1,549	1,659	1,759	1,759

OPTION PACKS	prices in £ ex vat
Pro-Line Pack consists of Wheel chocks, pair (red); Tie-down wheel 'sleeve' straps x 4; Manual winch, auto braked + 6 point 'quick adjust' pull positions	429
Hi-Line Pack consists of Coupling head lock; Wheel chocks, pair (red); Tie-down wheel 'sleeve' straps x 4; Manual winch, auto braked + 6 point 'quick adjust' pull positions; Alloy wheels – lightweight 12"	569

C2 BLUE

EQUIPMENT and OPTIONS.



OPTIONS	prices in £ ex vat
REAR LOADING	
High grip punched ramps 2.40m – upgrade E (not available on 2.70m bed length)	139
Rear support stands	109*
STORAGE	
Bed locker, front, lockable lid with automatic lift	154
Fuel can storage box, twin opening doors for 1, 2 or 3 x 20 litre Jerry cans – Available in Sargasso blue, Poppy red or Arcelor anthracite	169
High level tyre rack + securing system	399
EXTERIOR	
Coloured body trim – Sargasso blue	●
WINCH	
Manual winch 2 speed + 3 point adjustable pull positions	229
Manual winch, auto braked + 6 point 'quick adjust' pull positions	299
Electric winch 4,500lb (portable 12v power pack available). Can't be fitted in conjunction with storage box.	475
WHEELS, SUSPENSION, JOCKEYS AND TIE-DOWNS	
Alloy wheels – (Style B2 colour Silver) + safety locking wheel bolts and steel spare	125
Alloy wheels – (Style B2 colour Anthracite, diamond cut) + safety locking wheel bolts and steel spare	225
Wheels - Safety kit – torque wrench + digital tyre pressure gauge	59
Tyre pressure monitoring system – TPMS. In car monitor, external sensors.	129
Trailer suspension, wheel dampers – 2 wheel set	94
Deck slick pads x 4, protects soft compound racing tyres	84
Jockey wheel, upgrade – HD serrated tube	62
Wheel chocks, pair, bolted adjustable	69
Wheel chocks, pair (red), fully adjustable, professional system engages into trailer chassis	94
Tie-down wheel 'sleeve' straps x 4 – 3,000 DaN; strap over circumference of each of the vehicle's tyres	149
Tie-down wheel 'sling' straps x 4 – 2,500 DaN	109
Tie-down wheel 'sling' straps x 4 – 4,000 DaN	129
SECURITY	
Cast steel coupling head + integral high security lock	74
Datatag – Security identification system	89
Tracker – Anti theft device. By SureTrack. Full time monitoring 24/7. Location of asset + coordination of recovery service. Thatcham approved. Sold secure approved. Yearly monitoring fee £90. Year 1 incl.	429
7 pin socket to 13 pin plug adapter	14


● Standard. ○ Option. — Not available. *Option may incur local dealer fitting charge

C2 BLUE



C4 BLUE

STANDARD EQUIPMENT.



STANDARD

LOAD BED LENGTH m A	3.30	3.70	4.00	4.50	5.00					
CAPACITY										
Gross kg	2,000	2,000	2,000	2,000	2,600	2,000	2,600	2,600	2,600	2,600
Load kg	1,445	1,425	1,388	1,373	1,970	1,358	1,955	1,945	1,930	1,905
Unladen trailer weight kg	555	575	612	627	630	642	645	655	670	695
DIMENSIONS										
Internal bed width m B	1.70	1.80	1.80	1.80	1.80	2.00	2.00	1.80	2.00	2.00
Overall trailer length m C	4.72	4.72	5.18	5.48	5.48	5.48	5.48	5.98	5.98	6.48
Overall trailer width m D	2.08	2.18	2.18	2.18	2.18	2.38	2.38	2.18	2.38	2.38
Bed load height m	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42
Towball height (loaded, centre of towball) m	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40
RUNNING GEAR										
Wheel size	12" (155/70)	12" (155/70)	12" (155/70)	12" (155/70)	12" (155/70)	12" (155/70)	12" (155/70)	12" (155/70)	12" (155/70)	12" (155/70)
Axles	2	2	2	2	2	2	2	2	2	2
Spare wheel	•	•	•	•	•	•	•	•	•	•
Jockey wheel, side clamped, central position	•	•	•	•	•	•	•	•	•	•
RAMPS										
High grip punched ramps 1.90m E	•	•	•	•	•	•	•	•	•	•
WARRANTY										
5 Year chassis warranty	•	•	•	•	•	•	•	•	•	•
PRODUCTS										
Product code	126-2002	126-2012	126-2112	126-2212	126-2213	126-2222	126-2223	126-2313	126-2323	126-2423
PRICE										
£ ex vat	2,099	2,099	2,209	2,259	2,309	2,259	2,309	2,429	2,409	2,569

OPTION PACKS

Pro-Line Pack consists of Wheel chocks, pair (red); Tie-down wheel 'sleeve' straps x 4; Manual winch, auto braked + 6 point 'quick adjust' pull positions

prices in
£ ex vat


429

Hi-Line Pack consists of Coupling head lock; Wheel chocks, pair (red); Tie-down wheel 'sleeve' straps x 4; Manual winch, auto braked + 6 point 'quick adjust' pull positions; Alloy wheels – lightweight 12"

670

C4 BLUE

EQUIPMENT and OPTIONS.



OPTIONS	prices in £ ex vat
REAR LOADING	
High grip punched ramps 2.40m – upgrade E	139
Rear support stands	109*
STORAGE	
Bed locker, front, lid with automatic lift	154
Fuel can storage box, lockable, twin opening doors for 1, 2 or 3 x 20 litre Jerry cans – Available in Sargasso blue, Poppy red or Arcelor anthracite	169
High level tyre rack + securing system	399
EXTERIOR	
Coloured body trim – Sargasso blue	●
WINCH	
Manual winch 2 speed + 3 point adjustable pull positions	229
Manual winch, auto braked + 6 point 'quick adjust' pull positions	299
Electric winch 4,500lb (portable 12v power pack available). Can't be fitted in conjunction with storage box.	475
WHEELS, SUSPENSION, JOCKEYS AND TIE-DOWNS	
Alloy wheels – (Style B2 colour Silver) + safety locking wheel bolts and steel spare	250
Alloy wheels – (Style B2 colour Anthracite, diamond cut) + safety locking wheel bolts and steel spare	450
Wheels-Safety kit – torque wrench + digital tyre pressure gauge	59
Tyre pressure monitoring system – TPMS. By TyrePal. In car monitor, external sensors.	179
Trailer suspension, wheel dampers – 4 wheel set	189
Deck slick pads x 4, protects soft compound racing tyres	84
Jockey wheel, upgrade – auto retractable – standard duty	62
Jockey wheel, upgrade – auto retractable – heavy duty	109
Wheel chocks, pair, bolted adjustable	69
Wheel chocks, pair (red), fully adjustable, professional system engages into trailer chassis	94
Tie-down wheel 'sleeve' straps x 4 – 3,000 DaN; strap over circumference of each of the vehicle's tyres	149
Tie-down wheel 'sling' straps x 4 – 2,500 DaN	109
Tie-down wheel 'sling' straps x 4 – 4,000 DaN	129
SECURITY	
Cast steel coupling head + integral high security lock	74
Datatag – Security identification system	89
Tracker – Anti theft device. By SureTrack. Full time monitoring 24/7. Location of asset + coordination of recovery service. Thatcham approved. Sold secure approved. Yearly monitoring fee £ 90. Year 1 incl.	429
7 pin socket to 13 pin plug adapter	14

● Standard. ○ Option. — Not available. *Option may incur local dealer fitting charge

C4 BLUE



DELIVERY CHARGES TO YOUR LOCAL DEALER	OPEN TRAILER	ENCLOSED TRAILER
Region A – England + Wales in £	110	225
Region B – North England + Scotland in £	149	275
Region C – Highlands in £	190	320
Northern Ireland	Additional charges may apply	

“QUALITY IS NEVER AN ACCIDENT.
IT IS ALWAYS THE RESULT OF
INTELLIGENT EFFORT.” JOHN RUSKIN

