


CARGO ALL PLANT**TILT BED**

CARGO ALL PLANT TILT BED


STANDARD EQUIPMENT.

**STANDARD**

LOAD BED LENGTH m A	3.10				3.70	
CAPACITY						
Gross kg	2,700	2,700	3,500	3,500	3,500	3,500
Load kg	2,100	2,070	2,789	2,740	2,751	2,710
Unladen trailer weight kg	600	630	711	760	749	790
DIMENSIONS						
Internal bed width m B	1.30	1.60	1.60	1.85	1.60	1.85
Overall trailer width m C	1.82	2.12	2.12	2.37	2.12	2.37
Overall trailer length m D	4.81	4.76	4.80	4.80	5.43	5.43
Bed load height m	0.38	0.40	0.38	0.40	0.39	0.39
Towball height (loaded, centre of towball) m	0.40	0.40	0.40	0.40	0.40	0.40
Working load angle	8°	8°	8°	8°	7°	7°
RUNNING GEAR						
Axles	2	2	2	2	2	2
Wheel / Tyre size	13" (165 6pr)	13" (165 6pr)	13" (195/50)	13" (195/50)	13" (195/50)	13" (195/50)
Sealed wheel bearings	●	●	●	●	●	●
Spare wheel	●	●	●	●	●	●
PRODUCTS						
Product code	541-1110	541-1120	541-1310	541-1320	541-2310	541-2320
PRICE						
£ ex vat	2,969	3,139	3,289	3,489	3,799	4,089

CARGO ALL PLANT TILTBED

OPTIONAL EQUIPMENT.



OPTIONS	prices in £ ex vat	
	3.10	3.70
LOAD BED LENGTH m A		
BED BASE		
Reinforced heavy duty deck bed	●	●
Aluminium tread plate bed lining	311	540
Supergrip tracks x 2. Overlay for bed, provides hi-grip steel tracks (each track 2.50m long).	249	249
REAR LOADING		
Adjustable position "high grip" punched ramps x 2	●	●
Twin ramp "knife edge" loading panel + gas spring assistance	99	99
SIDE OPTIONS		
High mesh side extensions 0.80m (removable)	402	444
Ladder rack	92	92
BUCKET REST		
Digger bucket rest	75	75
STORAGE		
Strap storage side locker	159	159
WINCH		
Manual winch auto brake + central pulley (not available on models with an internal bed width of 1.30m)	282	282
Electric Winch Kit, 4500 lb drag capacity, 12v, Wander lead remote control, no Power System (see below for details of power pack)	470	470
Power Pack, Portable HD 12v for Electric Winch. Supplied with quick coupling Anderson connectors	209	209
LOADING, WHEELS AND SECURITY		
Machine stop bar	75	75
Tie-down anchor points (internal)	16 points	16 points
Tie-down straps x 4 – 4000 DaN heavy duty	129	129
Wheels-Safety kit – torque wrench + digital tyre pressure gauge	59	59
Tyre pressure monitoring system – TPMS. By TyrePal. In car monitor, external sensors.	179	179
Cast steel coupling head with integral high security lock	●	●
40mm eye coupling	59	59
Datatag – Security identification system	89	89
Tracker – Anti theft device. By SureTrack. Full time monitoring 24/7. Location of asset + coordination of recovery service. Thatcham approved. Sold secure approved. Yearly monitoring fee £ 90. Year 1 incl.	429	429

● Standard. — Not available. *Option may incur local dealer fitting charge.

CARGO ALL PLANT TILTBED



DELIVERY CHARGES TO YOUR LOCAL DEALER	OPEN TRAILER
Region A – England + Wales in £	110
Region B – North England + Scotland in £	149
Region C – Highlands in £	190
Northern Ireland	Additional charges may apply

CARGO TRAILERS ARE A TRUE REFLECTION OF THE WAY YOU WORK. NOTHING IS LEFT TO CHANCE, EVERYTHING IS CONSIDERED.

