


CARGO CONNECT STANDARD EQUIPMENT.

STANDARD																	
LOAD BED LENGTH m A	4.00			4.50			5.00					5.50				6.00	
CAPACITY																	
Gross kg	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500
Load kg	2,771	2,725	2,689	2,700	2,665	2,687	2,638	2,676	2,610	2,668	2,623	2,636	2,602	2,605	2,575	2,555	2,525
Unladen trailer weight kg	729	775	811	800	835	813	862	824	890	832	877	864	898	895	925	945	1,005
DIMENSIONS																	
Internal bed width m B	2.02	2.02	2.02	2.02	2.17	2.02	2.17	2.02	2.17	2.02	2.17	2.02	2.17	2.02	2.17	2.02	2.17
Overall bed width m C	2.13	2.13	2.13	2.13	2.28	2.13	2.28	2.13	2.28	2.13	2.28	2.13	2.28	2.13	2.28	2.13	2.28
Overall trailer length m D	5.54	6.04	6.04	6.54	6.54	6.54	6.54	6.54	6.54	7.04	7.04	7.04	7.04	7.04	7.04	7.54	7.54
Bed load height m	0.60	0.60	0.55	0.60	0.60	0.55	0.55	0.60	0.60	0.60	0.60	0.55	0.55	0.60	0.60	0.60	0.60
Towball height (loaded) m	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39	0.39
RUNNING GEAR																	
Axles	2	2	3	2	2	3	3	3	3	2	2	3	3	3	3	3	3
Wheel / Tyre size	12" (195/60)	12" (195/60)	10" (195/55)	12" (195/60)	12" (195/60)	10" (195/55)	10" (195/55)	12" (195/60)	12" (195/60)	12" (195/60)	12" (195/60)	10" (195/55)	10" (195/55)	12" (195/60)	12" (195/60)	12" (195/60)	12" (195/60)
Spare wheel	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
PRODUCTS																	
Product code	475-3442	475-4442	475-4452	475-5442	475-5443	475-5452	475-5453	475-5462	475-5463	475-6442	475-6443	475-6452	475-6453	475-6462	475-6463	475-7462	475-7463
PRICE																	
£ ex vat	2,429	2,529	2,899	2,659	2,929	3,229	3,489	3,209	3,469	2,989	3,269	3,439	3,729	3,429	3,699	3,879	4,139



CARGO CONNECT

OPTIONAL EQUIPMENT.

OPTIONS	prices in £ ex vat				
	4.00	4.50	5.00	5.50	6.00
LOAD BED LENGTH m A					
BED OVERLAY					
Aluminium tread plate deck overlay - fits between steel chassis and covers wooden sections to provide durable surface	353*	353*	405*	467*	540*
HYDRAULICS					
Hydraulic tiltbed operation	—	479	479	479	479
Tail ramp – tiltbed, 2.10m width	—	306	306	306	306
Tail ramp – tiltbed, 2.25m width	—	—	306	306	306
FRONT AND REAR LOADING					
Loading ramps, 1.80m	265	265	265	265	265
Loading ramps, 2.35m	327	327	327	327	327
Loading supports, kick down legs	105	105	105	105	105
Loading ramp, full width, high mesh, 2.10m wide	521*	521*	521*	521*	521*
Loading ramp, full width, high mesh, 2.25m wide	—	—	562*	562*	562*
Tail panel torsion bar kit - suits 2.1m and 2.25m width	183*	183*	183*	183*	183*
Cross Loader ramp kit - Full width (2.1m), spring assisted operation, in-built safety hand rails, full width bed mounted aluminium lead-in ramp and swivel jockey wheel mounting kit	1,760*	1,760*	1,760*	1,760*	1,760*
DROP SIDES, SIDE OPTIONS					
Headboard, removable	144	144	144	144	144
Connect drop side system – removable headboard, drop sides and tail board	526	557	588	619	660
Connect drop side system – removable headboard and drop sides (supplied when trailer equipped with high mesh loading ramp)	444	475	506	537	578
Connect extended side kit, 0.74m – includes tail section	701	721	752	783	814
Connect extended side kit, 0.74m – without tail section (supplied when trailer equipped with high mesh loading ramp)	630	650	681	712	743
Ladder rack - suitable for trailers without side extension kit fitted	144	144	144	144	144
Ladder rack - suitable for trailers with side extension kit fitted	82	82	82	82	82
WINCH					
Man auto winch kit, includes cable and pulley	282	282	282	282	282
HD Electric Winch Kit, 8000 lb drag capacity, 12v, Wander lead remote control, no Power System (see below for details of power pack)	659	659	659	659	659
Power Pack, Portable HD 12v for Electric Winch. Supplied with quick coupling Anderson connectors	209	209	209	209	209
ACCESSORIES, LIGHTING					
Loading assist, full width wheel chock	199	199	199	199	199
Storage tray, below bed location, deck board lid	179	179	179	179	179
LED lighting, full rear lighting kit, multi-voltage	179*	179*	179*	179*	179*
7 pin socket to 13 pin plug adapter	14	14	14	14	14
WHEEL OPTIONS					
	TWIN AXLE		TRI-AXLE		
Alloy wheels – 10" (Style B2 colour Silver) + safety locking wheel bolts and steel spare	—		365		
Alloy wheels – 12" (Style B2 colour Silver) + safety locking wheel bolts and steel spare	495		749		
Alloy wheels – 10" (Style B2 colour Anthracite, diamond cut) + safety locking wheel bolts and steel spare	—		675		
Alloy wheels – 12" (Style B2 colour Anthracite, diamond cut) + safety locking wheel bolts and steel spare	695		1,059		

● Standard. — Not available. *Option may incur local dealer fitting charge.



DELIVERY CHARGES TO YOUR LOCAL DEALER	OPEN TRAILER
Region A – England + Wales in £	110
Region B – North England + Scotland in £	149
Region C – Highlands in £	190
Northern Ireland	Additional charges may apply

CARGO TRAILERS ARE A TRUE REFLECTION OF THE WAY YOU WORK. NOTHING IS LEFT TO CHANCE, EVERYTHING IS CONSIDERED.

