


SPRINT SHUTTLE

SPRINT SHUTTLE STANDARD EQUIPMENT.



STANDARD

LOAD BED LENGTH m A	4.30		
CAPACITY			
Gross kg	2,000	2,000	2,600
Load kg	1,300	1,270	1,810
Unladen trailer weight kg	700	730	790
DIMENSIONS			
Load bed width m B	1.89	1.89	1.89
Overall trailer length m	5.79	5.79	5.79
Internal height m C	1.71	1.71	1.71
Overall trailer width m D	2.30	2.30	2.30
Towball height (loaded, centre of towball) m	0.40	0.40	0.40
OPERATION			
Hydraulic tiltbed	—	—	•
Loading ramp / rear doors	•	•	•
PRODUCTS			
Product code	310-3000	310-3100	310-3300
PRICE			
£ ex vat	6,469	7,229	7,589


SPRINT SHUTTLE

EQUIPMENT and OPTIONS.

OPTIONS	prices in £ ex vat		
	310-3000	310-3100	310-3300
Product code / model			
EXTERIOR			
Body colour rear doors	—	●	●
Front access hatches on each side – pair	●	●	●
STORAGE			
Fuel can storage box for 2 x 20 litre Jerry cans	189	189	189
Fuel can storage box for 4 x 20 litre Jerry cans	209	209	209
High level tyre rack + securing	439	439	439
WINCH			
Manual winch 2 speed	229	●	●
Electric Winch Kit, 4500 lb drag capacity, 12v, Wander lead remote control, no Power System (see below for details of power pack)	470	376	376
Power Pack, Portable HD 12v for Electric Winch. Supplied with quick coupling Anderson connectors	209	209	209
WHEELS, LOADING AND SECURITY			
Alloy wheels - lightweight 4 x 12" (Style B2) + safety locking wheel bolts	250	250	250
Alloy wheels - lightweight 4 x 12" (Style B2 colour Anthracite, diamond cut) + safety locking wheel bolts	450	450	450
Wheel chocks – pair	79	●	●
Tie-down wheel 'sling' straps x 4 – 2,500 DaN	109	●	●
Wheels-Safety kit – torque wrench + digital tyre pressure gauge	59	59	59
Tyre pressure monitoring system – TPMS. By TyrePal. In car monitor, external sensors.	179	179	179
Cast steel coupling head + integral high security lock	74	●	●
Datatag – Security identification system	89	89	89
Tracker – Anti theft device. By SureTrack. Full time monitoring 24/7. Location of asset + recovery service. Thatcham approved. Sold secure approved. Yearly monitoring fee £ 90. Year 1 incl.	429	429	429
7 pin socket to 13 pin plug adapter	14	14	14

RACE SHUTTLE

RACE SHUTTLE 2 and 3 STANDARD EQUIPMENT.



STANDARD								
MODEL	RACE SHUTTLE 2				RACE SHUTTLE 3			
LOAD BED LENGTH m A	4.30				4.70			
CAPACITY								
Gross kg	2,000	2,000	2,600	2,600	2,600	2,600	3,000	
Load kg	1,209	1,189	1,809	1,789	1,669	1,649	2,049	
Unladen trailer weight kg	791	811	791	811	931	951	951	
DIMENSIONS								
Load bed width m B	1.95	1.95	1.95	1.95	1.95	1.95	1.95	
Overall trailer length m	5.82	5.82	5.82	5.82	6.20	6.20	6.20	
Internal height m C	1.53	1.53	1.53	1.53	1.60	1.60	1.60	
Overall trailer width m D	2.30	2.30	2.30	2.30	2.30	2.30	2.30	
Towball height (loaded, centre of towball) m	0.40	0.40	0.40	0.40	0.40	0.40	0.40	
OPERATION								
Fixed bed	●	—	●	—	●	—	—	
Hydraulic tiltbed	—	●	—	●	—	●	●	
EXTERIOR								
Dark grey lower bodywork	●	●	●	●	●	●	●	
White high gloss GRP upper body	●	●	●	●	●	●	●	
INTERIOR								
LED illumination. Background lighting.	●	●	●	●	●	●	●	
PRODUCTS								
Product code	300-1000	300-1001	300-1010	300-1011	330-1010	330-1011	330-1021	
PRICE								
£ ex vat	5,919	6,409	6,339	6,819	7,359	7,859	8,109	

RACE SHUTTLE 2 and 3

EQUIPMENT and OPTIONS.

OPTIONS	prices in £ ex vat	
MODEL	RACE SHUTTLE 2	RACE SHUTTLE 3
REAR LOADING		
Loading ramps 2.00m	●	●
Loading ramps upgrade - (Race Shuttle 2, 2.3m) (Race Shuttle 3, 2.4m)	132	132
STORAGE		
Storage pockets in sides	—	●
Tyre rack + fuel storage station (check suitability for saloon cars)	499	499
WINCH		
Manual winch 2 speed	261	261
Electric Winch Kit, 4500 lb drag capacity, 12v, Wander lead remote control, no Power System (see below for details of power pack)	470	470
Power Pack, Portable HD 12v for Electric Winch. Supplied with quick coupling Anderson connectors	209	209
WHEELS, LOADING AND SECURITY		
Adjustable wheel stop bar – quick release	119	119
Tie-down wheel 'sling' straps x 4 – 4,000 DaN	129	129
Tie-down wheel 'sling' straps x 4 – 2,500 DaN	109	109
Alloy wheels - lightweight 4 x 12" (Style B2) + safety locking wheel bolts	250	250
Alloy wheels - lightweight 4 x 12" (Style B2 colour Anthracite, diamond cut) + safety locking wheel bolts	450	450
Wheels-Safety kit – torque wrench + digital tyre pressure gauge	59	59
Tyre pressure monitoring system – TPMS. By TyrePal. In car monitor, external sensors.	179	179
Cast steel coupling head + integral high security lock	●	●
Datatag – Security identification system	89	89
Tracker – Anti theft device. By SureTrack. Full time monitoring 24/7. Location of asset + coordination of recovery service. Thatcham approved. Sold secure approved. Yearly monitoring fee £ 90. Year 1 incl.	429	429
7 pin socket to 13 pin plug adapter	14	14



DELIVERY CHARGES TO YOUR LOCAL DEALER	OPEN TRAILER	ENCLOSED TRAILER
Region A – England + Wales in £	110	225
Region B – North England + Scotland in £	149	275
Region C – Highlands in £	190	320
Northern Ireland	Additional charges may apply	

“QUALITY IS NEVER AN ACCIDENT.
IT IS ALWAYS THE RESULT OF
INTELLIGENT EFFORT.” JOHN RUSKIN

